II-C Data Files

Agencies can obtain data files for standard reports, system generated daily and monthly batch reports, CALSTARS Financial Master files and tables. Data files, also called data sets, are stored at the Department of Technology Services (DTS) under specific data set names. Data sets are available for standard reports for fourteen days and for Table and File Copy for seven days. Data sets can also be retained for long-term report storage.

This chapter includes the following topics:

- Requesting data files
- Data set naming conventions
- Accessing data sets
- Accessing E1 data sets
- Monarch software

The following sections describe how to request a data set of a standard report, a standard report used for long-term storage, system generated report, table, and file. Additional detailed information regarding the Table and File copy processes and standard report long-term storage is provided in this chapter. For detailed information about requesting standard reports, refer to Chapter II-A in this volume. To view the available options for a specific report, refer to the individual report chapter (Chapter III) in this volume.

REQUESTING DATA FILES

All data files, except system generated reports, are requested from the CALSTARS Main Menu through Command **G**, Report/File/Table Requests/Printer Opts screen as described below.

Data Sets Of Standard Reports

Data sets of Standard reports are requested through Command G.3 by keying a D or F in the Output Destination field on the Report Selection Options screen. Data sets are also created when an N is keyed in the Output Destination field when requesting immediate reports, but these data sets are not retained as long as data sets requested with a D.

Data Sets Of Standard Reports For Long-term Storage

Standard reports for long-term storage are requested by keying an **E** in the Output Destination field on the Report Selection Options screen. When the **E1** Output Destination code is keyed on the Report Option Selection screen, a data set is created at DTS. The data sets created for long-term storage at DTS are referred to as **E1** files. Although the **E1** files are similar to other reports requested with a **D1** or **F1** Output Destination, the **E1** files are only produced in zip-compressed format and their retention periods are longer.

Only one version of an **E1** report file per fiscal month is retained. If an **E1** report file is ordered with the same level of detail and options as a previous report for the same fiscal month, the new file overwrites (overlays) the old file. Therefore, care must be taken to vary the reporting options when ordering pre and post Cost Allocation/Fund Split reports with an **E1** output destination.

NOTE: No warning message is issued when a file is overwritten.

Creating data sets for long-term storage at DTS is an efficient, cost effective method of archiving reports. All standard reports, with the exception of the ET1 (Time Sheet Exception Report), ET2 (Time Sheet Turnaround Documents), and QC1 (Cost Allocation Exception Report), may be stored as data sets at DTS.

Data Sets Of System Generated Reports

To request a data file of a system generated report, send an e-mail to <u>calstars@dof.ca.gov</u> and include the following information:

- 'Report Routing' in the subject line of the e-mail
- Organization Code
- Report ID and Title (refer to www.dof.ca.gov/html/calstars/SysGenRept.htm)
- Type of change Indicate if the request is a permanent change or if the data file is needed only one time.

Data Sets Of Tables

The following types of data sets of tables are available through Command **G.1**, Request Table Copy:

<u>Table data</u> - is available for both Statewide and Agency tables. Statewide tables are maintained by CALSTARS staff and are established in accordance with the Uniform Codes Manual.

<u>Record layout</u> - is a listing of the *format* of the table, which includes the key length, data sequence and record length, field name, field size and data characteristics of each field.

An example of the Table Copy screen is shown below.

To request a copy, key a **D** (file data) or **L** (record layout) in the "F" column to the left of the desired table(s) and press **Enter**. When the copy request is accepted, the **D**(s) in the "F" column change to * and the **L**(s) change to #.

If another request is submitted before the screen is exited, the # or * indicators for the previous requests are displayed in one color and the # or * indicators from the most recent request are displayed in a different color. These indicators remain on the screen until the screen is exited. If the screen is exited and the screen is accessed again, the "F" column is blank.

When a table copy is requested, the table does not include maintenance performed that day. The table includes data <u>as it existed after the last nightly update</u> (IEUP cycle). Since the copy of the table is 'as it existed' after the last IEUP cycle, there is no reason to request a second copy on the *same* day. If a second copy is accidentally requested, a second copy exists as well as the cost associated with the duplicate request.

When a record layout is requested, the record layout is copied from the CALSTARS production file <u>as it exists at the time the request is made</u>.

Data Sets Of Files

Data sets of files are available through Command **G.2**, Request File Copy. File copies can be requested for agency specific CALSTARS timesheets, budget files and various financial files, e.g., Operating File, History File, Vendor Payment File. The data selected is based on the logon Organization Code.

An example of the File Copy screen is shown below.

```
9990 G.2: REOUEST FILE COPY
                                                                           12-09-2004 03:21 PM
Enter under F: D=File Data, L=Record Layout,
        U=Data with Unpacked Fields, R=Layout with Unpacked Fields
                                                F
                   FILE NAME
                                                                      FILE NAME
                                                   - ------
______
_ Allotment
                                                  _{-} Operating
                              - AL
_{-} Appropriation
                                         - AP _ Payroll Extract
                                                                                            - PE
Cash Control - CC | Schedule 10 - Current Year - B1
Check - CK | Schedule 10 - Prior Year - B2
Document - DF | Schedule 10R - Current Year - B3
General Ledger - GL | Schedule 10R - Prior Year - B4
Grant Project - GP | Subsidiary - SF
History - Current Month - HY | Vendor Payment - VP
History - Prior Month - HY
History - Prior Year (FM 13)
_ History - Prior Year (FM 13) - HY
_ Labor Transaction
                                          - LT
Command:
Enter-PF1---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
       Help Retrn Quit
```

To request a file copy, key a **D** (file data) or **L** (record layout) in the "F" column to the left of the desired table(s) and press **Enter**. When the copy request is accepted, the **D**(s) in the "F" column change to * and the **L**(s) change to #.

The Request File Copy screen has two additional functions, **U** for Data with Unpacked Fields and **R** for Layout with Unpacked Fields. The **U** and **R** functions may only be selected for files that currently have packed amount fields, which are Allotment, Appropriation, Cash Control, Check, Document, General Ledger, Grant Project, Operating, Payroll Extract, Subsidiary, and Vendor Payment.

Except for the History Files and Budget Files, the Request File Copy produces a copy of the entire file. No selection options are available as when requesting Standard Reports.

The Request File Copy screen provides three options for History File (HY) transactions as listed below:

Current Month - Transactions coded with the Current Fiscal Month ending with transactions successfully posting the previous processing night;

Prior Month- Transactions coded with the Prior Fiscal Month; or,

Prior Year - Transactions coded with FM 13. Data is only available in an FM 13 file between June 30 and the date an agency runs the Year-end Close process.

If another file copy request is submitted before the screen is exited, the # or * indicators for the previous requests are displayed in one color and the # or * indicators from the most recent request are displayed in a different color. These indicators remain on the screen until the screen is exited. If the screen is exited and the screen is accessed again, the "F" column is blank.

When a file copy is requested, the file does not include maintenance performed that day. The file includes data <u>as it existed after the last nightly update</u> (IEUP cycle). Since the copy of the file is 'as it existed' after the last IEUP cycle, there is no reason to request a second copy on the *same* day. If a second copy is accidentally requested, a second copy exists as well as the cost associated with the duplicate request.

When a record layout is requested, the record layout is copied from the CALSTARS production file <u>as it exists at the time the request is made</u>. An example of the file layout for the Check File is displayed in Exhibit II-C-1.

The file copy is transferred to the Node/Userid specified in **Part II** on the CALSTARS Security Form (CALSTARS 95). Note that if the Node/Userid is left blank on the form, the default Node/Userid (DTS/CSOrg#) are used. If the node is at DTS, the process should take only fifteen or twenty minutes. If the node is a remote node, the process may take as long as six hours depending on (1) the size of the file copy and (2) the volume of traffic on the communication line. If the file is not available, call the Production Control Unit at (916) 323-7541, CNET 467-7541.

Table And File Copy Retention And Costs

Table Copy and File Copy data sets sent to an DTS Node/Userid have a <u>7-day</u> <u>retention period</u>. Files (data sets) sent to other Node/Userids cannot be tagged with a limited retention period.

<u>Recommendation</u>: Extract data or run agency programs against the Table Copy and File Copy data as soon as practical. This should help keep data storage costs to a minimum and conserve storage resources (storage costs may significantly exceed the file copying costs). Once the data has been used, the Table Copy and File Copy files should be purged (**D**-Delete data set).

Each agency using Table Copy and File Copy pays for the actual usage cost. Once the data set is sent to the agency's Node/Userid, storage costs for those files are the agency's responsibility.

EXHIBIT II-C-1 SAMPLE OF A FILE LAYOUT FROM COMMAND G.2 FILE COPY

```
BEGINNING OF COPY MEMBER CK$VREC
                 CHECK FILE
               RECORD LENGTH 105
              KEY LENGTH 23
         PRIOR CHANGE DATE: 03-01-86 (GY)
       CURRENT CHANGE DATE: 08-14-96 (VFS)
01 CK-RECORD.
  03 CK-CONTROL-KEY.
   05 CK-ORG-CODE
                           PIC X(4).
   05 CK-CHECK-NUMBER.
    07 CK-CHECK-ACCOUNT-NUM PIC X(3).
07 CK-CHECK-SEQUENCE-NUM PIC X(6).
   05 CK-FUND4.
    07 CK-FUND-1
                           PIC X.
                        PIC X(3).
    07 CK-FUND-NUMBER
   05 CK-SUB-FUND4.
      07 CK-SUB-FUND-1
                            PIC X.
      07 CK-SUB-FUND2-4
                             PTC X(3).
   05 CK-SEQUENCE-NUMBER
                            PIC 9(2).
  03 CK-I-INFORMATIONAL-ELEMENTS.
   05 CK-I-CHECK-DATE8.
    07 CK-I-CHECK-DATE-CC
                           PIC X(2).
    07 CK-I-CHECK-DATE.
      09 CK-I-CHECK-YY
                           PIC X(2).
      09 CK-I-CHECK-MM
                           PIC X(2).
      09 CK-I-CHECK-DD
                           PIC X(2).
   05 CK-I-CHECK-AMT-X.
    07 CK-I-CHECK-AMT
                         PIC S9(9)V99 COMP-3.
   05 CK-I-REVERSE
                           PIC X.
   05 CK-I-VENDOR-ID.
    07 CK-I-VENDOR-NO
                          PIC X(10).
PIC X(2).
    07 CK-I-VENDOR-SUFFIX
   05 CK-I-VENDOR-NAME
                           PIC X(30).
   05 CK-I-TRANS-YEAR4.
    07 CK-I-TRANS-YEAR-CC
                           PIC X(2).
    07 CK-I-TRANS-YEAR
                           PIC X(2).
   05 CK-I-FISCAL-MONTH
                           PIC X(2).
   05 FILLER
                            PIC X(19).
END OF COPY MEMBER CKSVREC
```

Prerequisites For Using Table Copy And File Copy

To order table and file data sets, agency staff must have access to the G.1 Table Copy and G.2 File Copy screens. Like other Main Menu functions, access to the Table Copy (Command **G.1** and File Copy (Command **G.2**) is controlled through the Signon ID. One or more agency staff can have access to these functions. Agencies must request this access through the submission of CALSTARS Security Forms. (CALSTARS 95) The forms will need to specify a Node/Userid if different from the default Node/Userid (DTS/CSorg#).

NOTE: The <u>agency</u> CALSTARS Security Officer should have the form and instructions.

To use the data files produced by the Table Copy and File Copy, an agency needs to have access to the Node/Userid where the CALSTARS files are transmitted. The agency also must have a certain level of expertise to make use of the data once it is available. This expertise includes the ability to use data center software or to download the data to an agency facility for further processing. It is also important that the individuals working with the raw file data have knowledge of accounting and the accounting objectives that each of the files is designed to accomplish.

DATA SET NAMING CONVENTIONS

A standard naming convention is used to define the *content* and *origin* of the data set. All data sets created through Command **G.1**, **G.2**, and **G.3** are cataloged in a library until DTS system or agency maintenance is performed, which ever occurs first. Exhibits II-C-2, II-C-3, and II-C-4 display the naming convention for each type of data set, give an example of a data set name for each Output Destination type, and describes what each component of the data set name represents.

EXHIBIT II-C-2 COMMAND G.3 (REPORT REQUEST) D. F. OR N DATASET NAMING CONVENTION

Source		Naming Convention							
R	ecord Key ===>	1 2	3	4	5	6	7 8	9	10
Report Request - Data (D1)		CS9990.CSTAR <i>B04</i> .R <i>PME0001</i> .DQ.D2001217.T204408							
Report Reques	t - 'Now' (N1)	CS999	90.CST	ARQ12	2.R <i>P</i>	ME02	23 <i>0</i> .NQ.[0200121	17.T134358
Report Reques	t - File (F1)	CS999	90.CST	AR <i>Q16</i>	.R <i>P</i>	MEO	001.FZ.D	200121	7.T134359
RECORD KEY	:								
1 - CS	= stands for "CALS	TARS"							
2 - 9990	= Organization Co	de of red	quest/us	er					
3 - CSTAR	= CALSTARS star	ndard re	port						
4 - <i>B04</i>	= 3-digit report ID (e.g., <u><i>B0</i></u>	<u>04</u> , H00,	Q16 , 6	etc.)				
5 - R	= Requestable repo	ort							
6 - <i>PME0001</i> and	= Level of report detail (FM = <u>PM</u> or CM , PY , 01-13 ; Period = <u>E</u> or M , Y , C , P , I , -; I-P-O-F = <u>0001</u> or various 0-9)								
7 - D	= report Destination	n Code ((<u>D</u> - Dat	a, F - I	-ile,	N - N	low)		
8 - Q	= data compressio	n (<u>Q</u> - ur	nzipped	QSAN	1, Z	- zipp	ed) *		
9 - D2001217	= Date (' D ') 1-digit	Century	, Year, I	Month	and	Day	(200121	7 = Dec	ember 17, 2000)
10 -T <i>134358</i>	= Time (' T ') file crea	ited, hhr	nmss (1	34358	8 = 1	:43:5	8 PM)		

* Data Sets ordered with a Destination Code of '**D**', '**F**' or '**N**' are created with "unzipped" (uncompressed) <u>and</u> "zipped" (compressed) versions. Compressed report files can be as much as 95% smaller than the uncompressed file and download proportionally faster. However, once downloaded, the compressed file must be expanded in the local environment (at the agency) using PKUNZIP or other software such as WINZIP. This software is widely available, easy to use and requires only a few minutes to execute.

EXHIBIT II-C-3 COMMAND G.3 (REPORT REQUEST) ELECTRONIC REPORT STORAGE (E1) NAMING CONVENTION

Source	Naming Convention						
Record Key ===>	1 2 3 4 5 6 7 89 10 11 1213 14						
Report Request - Electronic Storage (E1)	CS.ES2222.FM333344.WWWX5555.GL6666.MVV.EZ						
RECORD KEY:							
1 - CS = fixed fi	eld denoting C AL S TARS						
2 - ES = fixed fi	eld denoting E lectronic S torage						
3 - 2222 = Organiza	ation Code of request/user						
4 - FM = fixed fi	eld denoting Fiscal Month						
5 - 3333 = Fiscal N	Zear						
6 - 44 = Fiscal N	Month						
7 - WWW = Report 1	D (e.g., B04, H00, Q16, etc.)						
8 - X = P Indica	ator ("X" is the placeholder if P option is blank)						
9 - 5555 = Level of	detail (IPOF)						
10 - GL = fixed fi	eld denoting GLAN option (if selected)						
11 - 6666 = GLAN Opt	cion (if selected)						
12 - M = fixed fi	eld denoting M onth option						
13 - VV = FM Option	on						
14 - EZ = fixed fi	eld denoting E lectronic Z ipped						


EXHIBIT II-C-4 COMMAND G.1 AND G.2 (CALSTARS TABLE AND FILE COPY) DATASET NAMING CONVENTION

Source		Naming Convention							
Record Key ===>		1 2	3	4	5	6	7		
Agency Descrip	ptor Tables D -Data	CS9990	DAT	A.DT <i>9</i> 9	90.QSAM	.D200112	24.T102247		
Stwde Descript	tor Tables D -Data	CS9990	.DAT	A.DT <i>00</i>	00.QSAM	.D200112	24.T110236		
History files	D -Data	CS9990	.DAT	A.HY <i>PI</i>	//.QSAM.D	02001218	.T <i>1108</i> 29		
Budget Sequer Data	nce <u>Sch 10</u> D -	CS9990	.DAT	A.CS10	CY.QSAN	1.D20012	18.T 110552		
Budget Sequer	nce Sch 10R D-Data	CS9990	.DAT	A.CS10	PY.QSAN	1.D19812	18.T <i>1110</i> 29		
Other files	D- Data	CS9990 CS9990	DAT.	A. <i>GP</i> .Q A. <i>DF</i> .Q	SAM.D20 SAM.D20 SAM.D20 SAM.D20	01215.T0 01215.T0	94833 95120		
Record format (all files and tables) L-Layout		CS9990	.LAY(OUT. <i>OI</i>	P.QSAM.D	2001106	T <i>112645</i>		
RECORD KEY	:								
1 - CS	= stands for "CALS	TARS"							
2 - 9990	= Organization Cod	le of reque	est/us	er					
3 - DATA	= type of content, 0	Command	G.1	and G.2	(<i>DATA</i> o	r <i>LAYOU</i>	T)		
4 - DT9990	= File ID (DT = Des	criptor tab	ole) <u>ar</u>	nd Org (Code (org	0000 = st	atewide table)		
HY <i>PM</i>	= File ID (HY = His	tory File; a	and P	eriod (<u>F</u>	<u>РМ</u> , СМ, Р	Y)_			
CS10CY Yr)	= File ID (CS = Buc	lget Seque	ence,	10 = So	chedule 10)) <u>and</u> Fis	scal Year (CY = Curr		
CS10RPY	= File ID (CS = Bud	lget Seq,	10R =	= Sched	ule 10R) <u>a</u>	and Fisca	ıl Year (PY = Pr Yr)		
AS	= File ID (AS = App	ropriation	Syml	bol Tabl	e)				
5 - QSAM	= type of file (QSAI	// = seque	ntial a	access)					
6 - D2001124	= Date (' D ') 1-digit	Century, `	∕ear,	Month a	and Day(2001124	= November 24, 2000)		
7 - T <i>102247</i>	= Time (' T ') file crea	ated, hhm	mss (102247	' = 10:22:4	7 AM)			

ACCESSING DATA FILES (DATA SETS)

Data sets can be accessed by using the DTS Time Share Option (TSO) and entering a USERID signon. The information in this section is not comprehensive or intended to replace training available from DTS, but it provides background information about the screens and basic coding needed to access data sets. These procedures are also discussed in the CALSTARS Monarch Training classes. The steps are shown below.

<u>Step 1</u>: Access the DTS timeshare option (TSO) by entering the authorized TSO domain code and pressing **Enter**. (Example: 'ctso') See the screen below.



Step 2: Key your TSO USERID and press Enter. Example: 'csxxx'

IKJ56700A ENTER USERID -	
CSXXX	

<u>Step 3</u>: In the space following "Password ===>" (prompted by the cursor position), key your password and press **Enter**.

NOTE: the password will not be visible on the screen.

```
----- TSO/E LOGON ------
  Enter LOGON parameters below:
                                             RACF LOGON parameters:
           ===> CSXXX
  Userid
  Password ===>
                                             New Password ===>
  Procedure ===> TSOGENRL
                                             Group Ident ===>
  Acct Nmbr ===> CSTSOXXX0T
  Size
           ===> 4096
  Perform
          ===>
  Command
  Enter an 'S' before each option desired below:
         -Nomail
                       -Nonotice
                                     -Reconnect
                                                      -OIDcard
PF1/PF13 ==> Help
                 PF3/PF15 ==> Logoff
                                     PA1 ==> Attention
                                                         PA2 ==> Reshow
You may request specific help information by entering a '?' in any entry field
```

<u>Step 4</u>: A new screen will appear which will show '***' or 'READY' on the last line. Press **Enter** if the '***' is present. When the 'READY' appears, key '**ispf**' and press **Enter**. **Alternatively**, <u>advanced</u> TSO users may by-pass the next two steps by keying **ispf 3.4** and pressing enter.

<u>Step 5</u>: In the space following "Option ===>" (prompted by the cursor position), key **3** and press **Enter**. ('UTILITIES' is selected.)

```
----- TSPF/PDF 3 3 PRIMARY OPTION MENII -----
OPTION ===>
                                                         USERID
   0 ISPF PARMS - Specify terminal and user parameters
                                                                 - CSXXX
      BROWSE
                 - Display source data or output listings TIME
                                                                  - 11:36
                 - Create or change source data
                                                         DATE
                                                                  - 98/12/17
   3 UTILITIES - Perform utility functions
                                                         JULIANS - 98 351
      FOREGROUND - Invoke lang processors in foreground
                                                         TERMINAL - 3278
   5 BATCH - Submit job for language processing
                                                         PF KEYS - 24
      COMMAND
                 - Enter TSO Command, CLIST, or REXX exec PROC
                                                                  - TSOGENRL
      DIALOG TEST - Perform dialog testing
                                                         PREFIX
                                                                 - CSXXX
   9 IBM PRODUCTS- Additional IBM program development products
               - Software Configuration and Library Manager
   C CHANGES
               - Display summary of changes for this release
- HWDC Utility Functions
      HWDC
   I IOF
                - Interactive Output Facility
   P PANVALET
               - PANVALET Browse, Edit and Utilities
                 - Display information about ISPF/PDF
      TUTORIAL
                - Terminate ISPF using log and list defaults
   X EXIT
Enter END command to terminate ISPF.
```

Step 6: In the space following "Option ===>" (prompted by the cursor position), key 4 and press Enter. ('DSLIST' is selected.)

```
----- UTILITY SELECTION MENU -----
OPTION ===>
               - Compress or print data set Print index listing
   1 LIBRARY
                     Print, rename, delete, or browse members
   2 DATASET
                 - Allocate, rename, delete, catalog, uncatalog, or
                     display information of an entire data set
    3 MOVE/COPY - Move, copy, or promote members or data sets
                - Print or display (to process) list of data set names
   4 DSLTST
                     Print or display VTOC information
   5 RESET
                 - Reset statistics for members of ISPF library
   6 HARDCOPY - Initiate hardcopy output
                 - Display, delete, or print held job output
      OUTLIST
   9 COMMANDS - Create/change an application command table
  10 CONVERT
                 - Convert old format menus/messages to new format
  11 FORMAT
                 - Format definition for formatted data Edit/Browse
  12 SUPERC - Compare data sets (Standard Dialog)
13 SUPERCE - Compare data sets and Search-for strings (Extended Dialog)
  14 SEARCH-FOR - Search data sets for strings of data
                                                          (Standard Dialog)
```

Step 7: In the space following "DSNAME LEVEL ===>" (move the cursor to this position), key **cs**nnn.* (where 'nnnn' is the org code) and press **Enter**. The '*' (asterisk) is a "wildcard" to display all data sets associated with the csnnnn agency ID.

```
----- DATA SET LIST UTILITY ------
OPTION ===>
      ank - Display data set list * P - Print data set list - Display VTOC information only PV - Print VTOC information only
  blank - Display data set list *
Enter one or both of the parameters below:
  DSNAME LEVEL ===> CS9990.*
  VOLUME
                   ===>
  INITIAL DISPLAY VIEW ===> VOLUME (VOLUME, SPACE, ATTRIB, TOTAL)
                                                 (YES or NO)
  CONFIRM DELETE REQUEST ===> YES
* The following line commands will be available when the list is displayed:
B - Browse data set C - Catalog data set
E - Edit data set U - Uncatalog data set
D - Delete data set P - Print data set
R - Rename data set X - Print index listing
                              C - Catalog data set F - Free unused space
U - Uncatalog data set = - Repeat last command
I - Data set information M - Display member list
S - Information (short) Z - Compress data set
                                                               TSO cmd, CLIST or REXX exec
```

Step 8: Referring to the line commands listed on the previous screen (Step 7), key **B** or **S** in the <u>left position</u> under the "COMMAND" column to retrieve the data set from archive and press **Enter**.

COMMANI	, ===-	benon	L ===> PAGE
COMMAND	NAME	MESSAGE	VOLUME
	CS9990.CSTARB04.RPME0001.DQ.D2001217	T204408	D30768
	CS9990.CSTARB04.RPME0001.DZ.D2001217	T204408	D30902
	CS9990.CSTARQ12.RCMY0001.NQ.D2001217	T134358 BROWSED	D93219
	CS9990.CSTARQ12.RPM-0230.NZ.D2001217	T134358	D31153
	CS9990.CSTARQ16.RPM-0000.FQ.D2001217	T134359	D93017
	CS9990.CSTARQ16.RPM-0000.FZ.D2001217	T134359	D31145
	CS9990.DATA.AS.QSAM.D2001215.T094250		D92273
	CS9990.DATA.GP.QSAM.D2001106.T100827	DELETED	??????
	CA9990.DATA.VP.QSAM.D2001106.T112215		D48254
	CS9990.ISPF.ISPROF		D30259
)	CS9990.LAYOUT.OP.QSAM.D2001109.T07184	19	D30382
	CS9990.TS0.BROADCAST.MSGS		D30256
*****	******************* END OF DATA SET	LIST ********	******

<u>Step 9</u>: Using the 'S', Information (short) command and pressing **Enter** displays the expiration date and other information about the data set.

NOTE: The data set is <u>only available for **7 days**</u> before it is deleted automatically by system maintenance.

```
----- DATA SET INFORMATION ------
COMMAND ===>
DATA SET NAME: CS9990.LAYOUT.BS.QSAM.D2001218.T070246
GENERAL DATA:
                                          CURRENT ALLOCATION:
  Volume serial:
                        D30382
                                            Allocated Tracks:
  Device type:
                        3390
                                            Allocated extents:
  Organization:
                        PS
                        FB
  Record format:
  Record length:
                        80
  Block size:
                        27920
                                          CURRENT UTILIZATION:
  1st extent Tracks:
                        1
                                            Used Tracks:
  Secondary Tracks:
                                             Used extents:
  Creation date:
                        1998/12/18
  Expiration date:
                        1998/12/25
```

ACCESSING E1 DATA FILES

E1 report files can be downloaded onto a PC or a LAN using FTP file transfer software. There is no limit to the number of times a file may be downloaded during the storage period at DTS. Once downloaded, a file must first be un-zipped (uncompressed) before it may be viewed. A variety of software programs is available for this purpose.

The following steps are typically taken to retrieve and view an **E1** report file. However, the procedures may vary depending upon the software used. Through a local PC with electronic links to DTS, follow the steps below:

To copy the file from DTS to a local PC using the FTP file downloading software: Invoke the file downloading software

Connect to DTS using your FTP user name and password

Change the DTS working directory to CS.ES<u>org#</u> (for most users, the default mainframe directory should be set to CS.ES<u>org#</u>)

Select the file to be downloaded

Select the PC directory where the downloaded file will be placed

Specify a binary transfer

Start the downloading process

Rename the downloaded PC file giving it a "zip" file extension (e.g.: Q12.zip)

• To uncompress the downloaded file using unzipping software:

Invoke the unzipping software

Select the downloaded file

Select the report within the file (for E1 files there will be only one report)

Select the PC directory where the unzipped report file will be placed

Start the unzipping process

Rename the unzipped report file giving it a "txt" or "prn" file extension (e.g., Q12.txt)

◆ To open the unzipped report file using report-viewing software (e.g. Monarch, MS Word)

Format the report (if needed)

Since users can only access files in the CS.ES(agency code) directory using the FTP logon, agencies should set the FTP software's default mainframe directory to the CS.ES(agency code) file directory. Viewing other file directory lists through FTP software unnecessarily uses mainframe resources and increases the agency's data center charges.

If renaming the files cannot be accomplished using the file downloading and the unzip software, file names can be changed using Windows Explorer.

Resources Required To Retrieve E1 Files

To access the E1 files at the data center, agencies must establish an electronic link between a PC and the DTS FTP server. Some agencies may already be able to establish this link. Others many need to work with their agency's Information Technology section, CALSTARS Production Control, and DTS to make the connection.

All agencies are assigned a separate FTP logon that allows access to a DTS session specifically established for FTP transfers. This logon only allows access to the agency's CS.ES(agency code) file directory. Since multiple users can access the E1 files through FTP at the same time, only one logon is needed by an agency. Unlike CALSTARS and CTSO, the password for this logon does not expire. To activate the logon, the CALSTARS Agency Security Officer should contact the CALSTARS Production Control Unit at (916) 323-7541 or e-mail: prodcntl@dof.ca.gov.

Although the FTP logon password does not expire, an agency may change its password if desired. If the FTP software does not have a **new** password field, the password can still be changed. To change the password, type the following in the

password field: the current password, a "/", the new password, a "/", and the new password again (e.g., Password: oldpassword/newpassword/newpassword). The new password is required the next time a client logs on.

The client's PC requires file downloading, unzipping, and report viewing software. The FTP file downloading software facilitates the transfer of the electronic file from DTS to the PC. There are many FTP file transfer software packages available. Some PC terminal emulator packages (e.g., Passport) also include downloading software. The unzipping software decompresses the file from "zipped" format to text format. Some software utility packages (like McAfee System Works) include zipcompression programs. In addition, there are many file compression software packages available that are compatible with the zipped file format. The report viewing software presents the text file in a form that may be displayed and printed. Agencies may already have some or all of these capabilities on their PCs as part of other software packages. If additional software is needed, the agency's software policies should be consulted prior to procurement.

CALSTARS supports Monarch software for working with report data files. Besides viewing the reports, this personal computer software allows clients to export data from the files to popular database and spreadsheet formats.

If clients only need to view the reports, most word processing packages may be used. The Windows operating system includes two simple word processors, Notepad and WordPad. Because Notepad cannot open large files, WordPad is generally a better choice for viewing CALSTARS reports. Other word processing packages (e.g.: MS Word or WordPerfect) may be used, but additional formatting may be required so the report lines and spacing display correctly. Although formatting the reports takes a little extra work, using an agency's standard word processing package may be advantageous. For example, portions of the formatted reports may be sent as e-mail attachments to various managers and clients.

Retention Period For E1 Files

E1 report files are initially stored on disk at DTS. If a report file is not accessed for 35 days, the file is automatically archived to tape. An E1 file is retained at the data center for six years from the file creation date. At the end of the six-year period, the report file is deleted from the data center's disks or tapes. The file is deleted after six years regardless of how often the file has been accessed. CALSTARS is exploring options to allow agencies to extend the six-year retention period. If an agency wishes to delete an E1 file prior to its purge date, the CALSTARS Agency Security Officer must send a request via e-mail to calstars@dof.ca.gov. The e-mail must include the file's data set name.

If a file has been archived to tape, the file must be moved back to disk before the file may be retrieved (downloaded). Therefore, retrieving a file after it is archived to tape will take longer than retrieving a file directly from disk. (During testing, the retrieval from tape storage to a PC took approximately one minute, but the time varies based on the data center's workload.) Clients are not required to submit a special request to have the report files moved from tape to disk. The process is automatic when the report file is requested.

Instructions For Selected Software

CALSTARS has detailed instructions on various CALSTARS report file software packages used internally by analysts. These include:

- How to perform an FTP transfer using Passport (v6.0-601) or WS_FTP LE (v5.08)
- How to unzip a downloaded file using PowerArchiver (v.6.11)
- How to format a downloaded CALSTARS report in MS Word
- How to establish a MS Word 2000 macro that formats a downloaded CALSTARS report

Copies of these instructions will be provided upon request. To request a copy, send an e-mail to calstars@dof.ca.gov. Please note that the instructions may need revision depending on the version of software you have.

MONARCH SOFTWARE

Monarch software is a data access and analysis tool that can view, extract, query and export report data.

Monarch for Windows is a PC based software program from the Datawatch Corporation. Monarch is a data access and analysis tool that will view, extract, query and export report data. Monarch's capabilities and benefits to CALSTARS agencies include:

- the ability to "mine data" from CALSTARS report files for further processing in other PC-based software
- the reduction of re-keying of data
- special pricing for CALSTARS agencies
- user-friendly software

To further assist agencies, Monarch Training Classes are provided on an ongoing basis. The schedule of Monarch classes is available on the training calendar at www.dof.ca.gov/html/calstars/calsdocs/other/TrainingCalendar.pdf.

For information regarding the acquisition or operation of Monarch, contact CALSTARS at the following:

Phone: (916) 445-0211, ext. 2803, CNET 485-0211

E-mail: calstars@dof.ca.gov

FAX: (916) 323-4049. CNET 473-4049